The Citrix Directories

In ArcCatalog, all the Citrix directories can be viewed. Use the Connect to Folder button to connect to the H:, J:, I:, and M: folders in the My Computer directory. (Figure 1)

Create the mygisfiles folder on the client's C: drive and use the Connect to Folder button in ArcCatalog to connect to it as the V: drive. (Depending on our operating system, you may have to connect to our V: drive and navigate to our mygisfiles directory only when you want to transfer data. Connecting to your V: drive will slow down your connection so do it only as long as when necessary.)

ArcCatalog connections used most often by Citrix users:

Figure 1 — Citrix Directories.

File Edit View Go Geoprocessin

Connect to Folder button

Catalog Tree

Folder Connections

H:\

M:\Production\ojic\ayerfile

M:\Production\ojic\resources

V:\mygisfiles

Drive	Description
V:\ mygisfiles	Drive that is the client's C:\mygisfiles directory. Mapping to the entire V: drive (client C: drive) will slow down the connection. Map to the V:\mygisfiles directory (client C: drive).
H:	Citrix Home Directory. The Citrix user only has access to this drive
J:	A shared drive among Citrix users. The common directory is shared by all Citrix users and is to be used as a temporary place to transfer files between users or groups. <u>All contents of the J:\common directory are deleted every Friday night.</u> Directories defining groups (i.e., lojic, msd) can be shared by Citrix users within that group.
I:	LOJIC marginal files (logos, notes), raster data (imagery, DEM) and LIDAR data.
M:	An accessible drive containing layer files and map documents.
Database Connections	Connections to the Oracle database.